



### Laboratory Report

Champlain Valley Edu Services	200674
PO Box 455	
1585 Military Turnpike	
Plattsburgh, NY 12901	
Atten: Angela Jennette	

PROJECT: Lead in School Taps,CVES TOP  
WORK ORDER: **2106-16029**  
DATE RECEIVED: June 09, 2021  
DATE REPORTED: June 23, 2021  
SAMPLER: Jerry Brooks

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody located at the end of this report.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields.

This NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory.

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:

Christina A Lafountain  
Laboratory Director Plattsburgh, NY

## Laboratory Report

CLIENT: Champlain Valley Edu Services  
PROJECT: Lead in School Taps,CVES TOP

WORK ORDER: 2106-16029  
DATE RECEIVED: 6/9/21

001 Site: 4160 Stagnant: 15.75 Hrs Date Sampled: 6/9/21 Time: 7:00

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

002 Site: 4150 Stagnant: 15.70 Hrs Date Sampled: 6/9/21 Time: 7:02

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

003 Site: 4170 Stagnant: 15.63 Hrs Date Sampled: 6/9/21 Time: 7:00

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

004 Site: 4180 Stagnant: 15.62 Hrs Date Sampled: 6/9/21 Time: 7:02

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

005 Site: 4050 Stagnant: 15.03 Hrs Date Sampled: 6/9/21 Time: 7:02

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0110	mg/L	EPA 200.8	6/22/21	W SJM	A	

006 Site: 4190 Stagnant: 14.88 Hrs Date Sampled: 6/9/21 Time: 7:03

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

007 Site: 4200 Stagnant: 14.85 Hrs Date Sampled: 6/9/21 Time: 7:04

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

008 Site: 4030 Stagnant: 14.77 Hrs Date Sampled: 6/9/21 Time: 7:06

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

009 Site: 4210 Stagnant: 14.35 Hrs Date Sampled: 6/9/21 Time: 7:06

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

010 Site: 4250 Stagnant: 14.13 Hrs Date Sampled: 6/9/21 Time: 7:07

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
-----------	--------	-------	--------	---------------	----------	-------	-------

### Laboratory Report

CLIENT: Champlain Valley Edu Services  
PROJECT: Lead in School Taps,CVES TOP

WORK ORDER: **2106-16029**

DATE RECEIVED: 6/9/21

Lead, Total < 0.0010 mg/L EPA 200.8 6/22/21 W SJM A

011 Site: 4026 Stagnant: 14.07 Hrs Date Sampled: 6/9/21 Time: 7:07

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

012 Site: 4260 Stagnant: 13.93 Hrs Date Sampled: 6/9/21 Time: 7:08

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

013 Site: 4010 Stagnant: 13.12 Hrs Date Sampled: 6/9/21 Time: 7:07

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

014 Site: 4270 Stagnant: 13.05 Hrs Date Sampled: 6/9/21 Time: 7:09

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0036	mg/L	EPA 200.8	6/22/21	W SJM	A	

015 Site: 4280 Stagnant: 12.98 Hrs Date Sampled: 6/9/21 Time: 7:10

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0019	mg/L	EPA 200.8	6/22/21	W SJM	A	

016 Site: 4006 Stagnant: 12.77 Hrs Date Sampled: 6/9/21 Time: 7:10

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

017 Site: 4300 Stagnant: 12.67 Hrs Date Sampled: 6/9/21 Time: 7:11

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

018 Site: 4320 Stagnant: 12.53 Hrs Date Sampled: 6/9/21 Time: 7:12

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0014	mg/L	EPA 200.8	6/22/21	W SJM	A	

019 Site: 4330 Stagnant: 12.45 Hrs Date Sampled: 6/9/21 Time: 7:13

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0013	mg/L	EPA 200.8	6/22/21	W SJM	A	

## Laboratory Report

CLIENT: Champlain Valley Edu Services  
PROJECT: Lead in School Taps,CVES TOP

WORK ORDER: 2106-16029  
DATE RECEIVED: 6/9/21

020 Site: 4350 Stagnant: 12.35 Hrs Date Sampled: 6/9/21 Time: 7:14

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

021 Site: 4380 Stagnant: 12.17 Hrs Date Sampled: 6/9/21 Time: 7:15

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

022 Site: 4500 Stagnant: 12.15 Hrs Date Sampled: 6/9/21 Time: 7:16

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

023 Site: 4390 Stagnant: 12.10 Hrs Date Sampled: 6/9/21 Time: 7:15

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

024 Site: 4480 Stagnant: 12.08 Hrs Date Sampled: 6/9/21 Time: 7:16

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

025 Site: 4410 Stagnant: 12.00 Hrs Date Sampled: 6/9/21 Time: 7:16

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0013	mg/L	EPA 200.8	6/22/21	W SJM	A	

026 Site: 4460 Stagnant: 11.78 Hrs Date Sampled: 6/9/21 Time: 7:18

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

027 Site: 4420 Stagnant: 11.65 Hrs Date Sampled: 6/9/21 Time: 7:17

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

028 Site: 4450 Stagnant: 11.58 Hrs Date Sampled: 6/9/21 Time: 7:18

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

029 Site: 3140 Stagnant: 11.52 Hrs Date Sampled: 6/9/21 Time: 7:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
-----------	--------	-------	--------	---------------	----------	-------	-------

### Laboratory Report

CLIENT: Champlain Valley Edu Services  
PROJECT: Lead in School Taps,CVES TOP

WORK ORDER: **2106-16029**  
DATE RECEIVED: 6/9/21

Lead, Total 0.0039 mg/L EPA 200.8 6/22/21 W SJM A

030 Site: 3110 Stagnant: 11.48 Hrs Date Sampled: 6/9/21 Time: 7:20

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

031 Site: 3130 Stagnant: 11.33 Hrs Date Sampled: 6/9/21 Time: 7:21

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0041	mg/L	EPA 200.8	6/22/21	W SJM	A	

032 Site: 3190 Stagnant: 11.15 Hrs Date Sampled: 6/9/21 Time: 7:22

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0021	mg/L	EPA 200.8	6/22/21	W SJM	A	

033 Site: 3200 Stagnant: 11.12 Hrs Date Sampled: 6/9/21 Time: 7:23

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0017	mg/L	EPA 200.8	6/22/21	W SJM	A	

034 Site: 3212 Stagnant: 11.10 Hrs Date Sampled: 6/9/21 Time: 7:25

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0026	mg/L	EPA 200.8	6/22/21	W SJM	A	

035 Site: 3100 L Stagnant: 11.05 Hrs Date Sampled: 6/9/21 Time: 7:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0105	mg/L	EPA 200.8	6/22/21	W SJM	A	

036 Site: 3100 R Stagnant: 11.00 Hrs Date Sampled: 6/9/21 Time: 7:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0053	mg/L	EPA 200.8	6/22/21	W SJM	A	

037 Site: 3230 Stagnant: 10.90 Hrs Date Sampled: 6/9/21 Time: 7:26

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

038 Site: 3231 Stagnant: 10.90 Hrs Date Sampled: 6/9/21 Time: 7:28

Parameter	Result	Units	Method	Analysis Date	Lab/Tech	NELAC	Qual.
Lead, Total	0.0070	mg/L	EPA 200.8	6/22/21	W SJM	A	

### Laboratory Report

CLIENT: Champlain Valley Edu Services  
PROJECT: Lead in School Taps,CVES TOP

WORK ORDER: **2106-16029**  
DATE RECEIVED: 6/9/21

039	Site: 3080	Stagnant:	10.83 Hrs	Date Sampled:	6/9/21	Time:	7:29
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0048	mg/L	EPA 200.8	6/22/21	W SJM	A	
040	Site: 3240	Stagnant:	10.80 Hrs	Date Sampled:	6/9/21	Time:	7:30
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0146	mg/L	EPA 200.8	6/22/21	W SJM	A	
041	Site: 3070	Stagnant:	10.67 Hrs	Date Sampled:	6/9/21	Time:	7:30
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0025	mg/L	EPA 200.8	6/22/21	W SJM	A	
042	Site: 3260	Stagnant:	10.67 Hrs	Date Sampled:	6/9/21	Time:	7:33
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
043	Site: DF CVTEC	Stagnant:	10.57 Hrs	Date Sampled:	6/9/21	Time:	7:33
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
044	Site: DFSP 1	Stagnant:	10.50 Hrs	Date Sampled:	6/9/21	Time:	7:33
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
045	Site: DFSP 2	Stagnant:	10.35 Hrs	Date Sampled:	6/9/21	Time:	7:34
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
046	Site: 1060	Stagnant:	10.27 Hrs	Date Sampled:	6/9/21	Time:	7:41
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
047	Site: DFSP 3	Stagnant:	16.32 Hrs	Date Sampled:	6/9/21	Time:	7:35
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	
048	Site: DFSP 4	Stagnant:	16.23 Hrs	Date Sampled:	6/9/21	Time:	7:35
<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>

## Laboratory Report

CLIENT:	Champlain Valley Edu Services	WORK ORDER:	<b>2106-16029</b>
PROJECT:	Lead in School Taps,CVES TOP	DATE RECEIVED:	6/9/21
Lead, Total	< 0.0010	mg/L	EPA 200.8
			6/22/21
			W SJM
			A

049	Site: BOTTLE NOT RECEIVED	Stagnant:	24.00 Hrs	Date Sampled:	6/9/21	Time:	0:00
-----	---------------------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
No analysis							

050	Site: 1000 L	Stagnant:	16.20 Hrs	Date Sampled:	6/9/21	Time:	7:38
-----	--------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0025	mg/L	EPA 200.8	6/22/21	W SJM	A	

051	Site: 1050	Stagnant:	15.82 Hrs	Date Sampled:	6/9/21	Time:	7:40
-----	------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

052	Site: SAMPLE REJECTED; LOW VOLUME	Stagnant:	24.00 Hrs	Date Sampled:	6/9/21	Time:	0:00
-----	-----------------------------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
No analysis							

053	Site: 1040 L	Stagnant:	15.58 Hrs	Date Sampled:	6/9/21	Time:	7:40
-----	--------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

054	Site: 1040 M	Stagnant:	15.52 Hrs	Date Sampled:	6/9/21	Time:	7:40
-----	--------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

055	Site: 1040 R	Stagnant:	15.47 Hrs	Date Sampled:	6/9/21	Time:	7:40
-----	--------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A	

056	Site: 1070 MS	Stagnant:	15.33 Hrs	Date Sampled:	6/9/21	Time:	7:48
-----	---------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0037	mg/L	EPA 200.8	6/22/21	W SJM	A	

057	Site: 1070 L	Stagnant:	15.13 Hrs	Date Sampled:	6/9/21	Time:	7:48
-----	--------------	-----------	-----------	---------------	--------	-------	------

<u>Parameter</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>	<u>Analysis Date</u>	<u>Lab/Tech</u>	<u>NELAC</u>	<u>Qual.</u>
Lead, Total	0.0031	mg/L	EPA 200.8	6/22/21	W SJM	A	





**Laboratory Report**

---

CLIENT:	Champlain Valley Edu Services	WORK ORDER:	<b>2106-16029</b>			
PROJECT:	Lead in School Taps,CVES TOP	DATE RECEIVED:	6/9/21			
Lead, Total	< 0.0010	mg/L	EPA 200.8	6/22/21	W SJM	A

Test results comply with all NELAC requirements unless otherwise noted. This Laboratory Report includes the client's COC sample documentation and shall not be reproduced except in full, without written approval of the laboratory.

# Endyne, Inc. - Plattsburgh Lab

LAB USE ONLY  
Due Date: 23 Jun 21

315 New York Road  
Plattsburgh, NY 12903  
Phone (518)563-1720

Fax (518)563-0052  
info@endynelabs.com  
ELAP #11892

Client: CUES Account #:   
 Email Address: brooks-jerry@CUES.org PWS #   
 Contact Person: Project Name:   
 Phone: 518-561-0100 EXT 219 3T - Lead in Schools Collection Address: Champlain Valley Edu Serv  
 PO # 21-00097 City: Plattsburgh State: NY Zip: 12901

SAMPLE MATRIX CODES		Compliance? Yes Initial Testing or Repeat Testing	Bottle Type / Volume	M a t r i x	Preservation	First Draw (Y)	Flushed Line (Y)	Total Lead	Analysis Requested:		Lab Use Sample #	
DW=drinking water	SW=Surface Water								Water Last Used (Date / Time)			
1	4160		250mL, P	DW	*	X		X			3:15p 6/8/21	001
2	4150		250mL, P	DW	*	X		X			3:20p 6/8/21	002
3	4170		250mL, P	DW	*	X		X			3:22p 6/8/21	003
4	4180		250mL, P	DW	*	Y		X			3:25p 6/8/21	004
5	4050		250mL, P	DW	*	X		X			4:01p 6/8/21	005
6	4190		250mL, P	DW	*	X		X			4:10p 6/8/21	006
7	4200		250mL, P	DW	*	Y		X			4:13p 6/8/21	007
8	4030		250mL, P	DW	*	X		X			4:20p 6/8/21	008
9	4210		250mL, P	DW	*	Y		X			4:45p 6/8/21	009
10	4250		250mL, P	DW	*	X		X			4:59p 6/8/21	010
11	4026		250mL, P	DW	*	X		X			5:03p 6/8/21	011
12	4260		250mL, P	DW	*	X		X			5:12p 6/8/21	012

TURNAROUND TIME REQUESTED: Standard (2-4 weeks)

Pag 1 of

Collector's Name: Jerry Brooks

SAMPLE RECEIPT (Lab Use Only)

Samples Intact?	Date: 09 Jun 21	Time: 1255	Sample Relinquished By (SIGN HERE): <i>[Signature]</i>	Samples Received By: <i>[Signature]</i>
Filled to proper volume?				
# of Containers				

2106-16029



Champlain Valley Edu Services  
Lead in School Taps, CUES TOP

\* Samples preserved with NHO3 to pH < 2 after receipt at the lab.

Note: Results are emailed to the Health Department at the same time as the client unless otherwise noted on the COC.

OFFICE USE ONLY

Analysis Fee \$ \_\_\_\_\_ or A/R

Terms are net 30 days with an open, up to date account

Payment Method  Cash  Check  MC/Visa  Money Order

Check, MO, Receipt # \_\_\_\_\_

# Endyne, Inc. - Plattsburgh Lab

LAB USE ONLY

Due Date:

23 Jun 21

315 New York Road  
Plattsburgh, NY 12903  
Phone (518)563-1720

Fax (518)563-0052  
info@endynelabs.com  
ELAP #11892

Client: C V E S

Account #: 200674

Collector's Name: Jerry Brooks

Page 2 of 3

Work Order # 2106-11029

Sample ID / Collection Site	Date/Time	Bottle	M a t r i x	Pres	1st Draw	Flushed Line	Lead, Total	Water Last Used (date/ Time)	Sample #
13 4010	6/9 7:07	250mL, P	DW	*	X		X	6:00p 6/8/21	013
14 4270	6/9 7:09	250mL, P	DW	*	X		X	6:06p 6/8/21	014
15 4280	6/9 7:10	250mL, P	DW	*	X		X	6:11p 6/8/21	015
16 4006	6/9 7:10	250mL, P	DW	*	X		X	6:24p 6/8/21	016
17 4300	6/9 7:11	250mL, P	DW	*	X		X	6:31p 6/8/21	017
18 4320	6/9 7:12	250mL, P	DW	*	X		X	6:40p 6/8/21	018
19 4330	6/9 7:13	250mL, P	DW	*	X		X	6:46p 6/8/21	019
20 4350	6/9 7:14	250mL, P	DW	*	X		X	6:53p 6/8/21	020
21 4380	6/9 7:15	250mL, P	DW	*	X		X	7:05p 6/8/21	021
22 4500	6/9 7:16	250mL, P	DW	*	X		X	7:07p 6/8/21	022
23 4390	6/9 7:15	250mL, P	DW	*	X		X	7:09p 6/8/21	023
24 4480	6/9 7:16	250mL, P	DW	*	X		X	7:11p 6/8/21	024
25 4410	6/9 7:16	250mL, P	DW	*	X		X	7:16p 6/8/21	025
26 4466	6/9 7:18	250mL, P	DW	*	X		X	7:31p 6/8/21	026
27 4420	6/9 7:17	250mL, P	DW	*	X		X	7:38p 6/8/21	027
28 4450	6/9 7:18	250mL, P	DW	*	X		X	7:43p 6/8/21	028
29 3140	6/9 7:20	250mL, P	DW	*	X		X	7:49p 6/8/21	029
30 3110	6/9 7:20	250mL, P	DW	*	X		X	7:51p 6/8/21	030
31 3130	6/9 7:21	250mL, P	DW	*	X		X	8:01p 6/8/21	031
32 3190	6/9 7:22	250mL, P	DW	*	X		X	8:13p 6/8/21	032
33 3200	6/9 7:23	250mL, P	DW	*	X		X	8:16p 6/8/21	033
34 3212	6/9 7:25	250mL, P	DW	*	X		X	8:19p 6/8/21	034
35 3100 L	6/9 7:26	250mL, P	DW	*	X		X	8:23p 6/8/21	035
36 3100 R	6/9 7:26	250mL, P	DW	*	X		X	8:26p 6/8/21	036
37 3230	6/9 7:26	250mL, P	DW	*	X		X	8:32p 6/8/21	037
38 3231	6/9 7:28	250mL, P	DW	*	X		X	8:34p 6/8/21	038
39 3080	6/9 7:29	250mL, P	DW	*	X		X	8:39p 6/8/21	039
40 3240	6/9 7:30	250mL, P	DW	*	X		X	8:42p 6/8/21	040
41 3070	6/9 7:30	250mL, P	DW	*	X		X	8:50p 6/8/21	041
42 3260	6/9 7:33	250mL, P	DW	*	X		X	8:59p 6/8/21	042
43 DF C V TEC	6/9 7:33	250mL, P	DW	*	X		X	8:59p 6/8/21	043
44 DF SP 1	6/9 7:33	250mL, P	DW	*	X		X	9:03p 6/8/21	044
45 DF SP 2	6/9 7:34	250mL, P	DW	*	X		X	9:13p 6/8/21	045
46 1060	6/9 7:41	250mL, P	DW	*	X		X	9:25p 6/8/21	046

# Endyne, Inc. - Plattsburgh Lab

LAB USE ONLY

Due Date:

23 JUN 21

315 New York Road  
Plattsburgh, NY 12903  
Phone (518)563-1720

Fax (518)563-0052  
info@endynelabs.com  
ELAP #11892

Client: CVES

Account #: 200674

Collector's Name: Jerry Brooks

1585 Military Turnpike Plattsburgh

Page 3 of 3

Work Order # 2106-16029

Sample ID / Collection Site	Date/Time	Bottle	M a t r i x	Pres	1st Draw	Flushed Line	Lead, Total	Water Last Used (date/Time)	Sample #
47 DFSP 3	6/9 7:35	250mL, P	DW	*	X		X	3:16 p 6/8/21	047
48 DFSP 4	6/9 7:35	250mL, P	DW	*	X		X	3:21 p 6/8/21	048
49 1000 L <i>NOT USED</i>	6/9 7:38	250mL, P	DW	*	X		X	3:26 p 6/8/21	049
50 1000 R <i>Bottle ID's swapped</i>	6/9 7:38	250mL, P	DW	*	X		X	3:45 p 6/8/21	050
51 1050	6/9 7:40	250mL, P	DW	*	X		X	3:51 p 6/8/21	051
52 <i>low vol</i> 1040 R	6/9 7:40	250mL, P	DW	*	X		X	3:59 p 6/8/21	052
53 1040 L	6/9 7:40	250mL, P	DW	*	X		X	4:05 p 6/8/21	053
54 1040 M	6/9 7:40	250mL, P	DW	*	X		X	4:09 p 6/8/21	054
55 1040 R	6/9 7:40	250mL, P	DW	*	X		X	4:12 p 6/8/21	055
56 1070 MS	6/9 7:48	250mL, P	DW	*	X		X	4:28 p 6/8/21	056
57 1070 L	6/9 7:48	250mL, P	DW	*	X		X	4:40 p 6/8/21	057
58 1070 RB	6/9 7:48	250mL, P	DW	*	X		X	4:44 p 6/8/21	058
59 1070 B	6/9 7:51	250mL, P	DW	*	X		X	4:51 p 6/8/21	059
60 1070 R	6/9 7:51	250mL, P	DW	*	X		X	4:59 p 6/8/21	060
61 2090	6/9 7:56 PM	250mL, P	DW	*	X		X	5:06 p 6/8/21	061
62 NO SAMPLE		250mL, P	DW	*			X		062
63 N-DF	6/9 8:31 AM	250mL, P	DW	*	X		X	8:03 p 6/8/21	063
64 Busi-K	6/9 8:40 AM	250mL, P	DW	*	X		X	8:18 p 6/8/21	064
65 NO SAMPLE		250mL, P	DW	*			X		065
66 <del>ISC-DF</del>	6/9 8:20 AM	250mL, P	DW	*	X		X	3:01 p 6/8/21	066
67 ISD-K	6/9 8:21 AM	250mL, P	DW	*	X		X	3:06 p 6/8/21	067
68		250mL, P	DW	*			X		068
69		250mL, P	DW	*			X		069
70		250mL, P	DW	*			X		070
71		250mL, P	DW	*			X		071
72		250mL, P	DW	*			X		072
73		250mL, P	DW	*			X		073
74		250mL, P	DW	*			X		074
75		250mL, P	DW	*			X		075
76		250mL, P	DW	*			X		076
77		250mL, P	DW	*			X		077
78		250mL, P	DW	*			X		078
79		250mL, P	DW	*			X		079
80		250mL, P	DW	*			X		080

\*2 bottle ID's swapped by client; 1000 R (#50) was actually labeled as 1000L.